

22" Hand Sanitizer Network Android Advertising Display (GPF22H8)



Hand Sanitizing Digital Signage

In areas where hygiene is key, and hand washing facilities are not available, these displays are ideal. They combine a hand sanitizing station* with a versatile Digital Signage solution.



Contactless Usage

These displays come with a network upgrade and 1 year free subscription as standard so can be updated from our online CMS portal. They feature no external buttons or controls and have an automated on/off power timer to minimise contact following installation.



Free Network Upgrade & Subscription



24/7 Commercial Grade



3 Year Manufacturer's Warranty



Complete Steel Enclosure



Integrated Android Media Player



Automatic Dispensing



Easy Refill



Compact and Lightweight Design



Optional Floor Stand

Other Features


3 Year Warranty

We offer a full commercial 3 year manufacturer's warranty and free lifetime technical support, giving you complete piece of mind.



24/7 Usage

This is a true commercial grade solution. Built using a commercial grade LCD panel and components it is designed to be in constant use.



Robust Steel Enclosure

This solution features a full metal enclosure making it perfect for any commercial or public environment, especially in locations where impact is a concern.



Optional Stand Available

The display can be wall mounted as standard or mounted onto a stylish floor stand, for easy portability.




Safe Tank Capacity

Most standard hand sanitizer stations have a capacity below one litre; this is because it reduces the risk of evaporation caused by larger tanks. This is important because as the sanitizer evaporates the alcohol content reduces - decreasing the effectiveness of the sanitizer.




Online Content Management System

Using our user-friendly cost-effective software solution you can combine multiple media zones (images, videos, webpages etc.), social media feeds, scrolling text and RSS feeds for latest news.



Fully Automated Dispensing

The fully automated design removes the need to touch the dispenser, simply place your hand under the dispenser and a single or double dose of sanitizer will be dispensed. The dispense valve is non-spray, non-clog and can support liquid or gel.



Safe Maintenance

The easy front access door allows you to conveniently re-fill the sanitiser tank however to carry out maintenance on the internal components you must remove the rear panel. This two-way access ensures that no electronics are exposed when the tank is being re-filled, preventing a potential fire hazard or any damage to the display.



Key Features



INTEGRATED SPEAKERS




PLUG AND PLAY UPDATE OPTION



24/7 COMMERCIAL GRADE






ROBUST STEEL ENCLOSURE



EASY SANITIZER REFILL



REMOVABLE TRAY



Specification Table

		22 Inch
Panel	Resolution	1080x1920
	Display Area (mm)	268x477
	Aspect Ratio	16:9
	Viewing Angle	178°
	Colour	16.7M
	Contrast Ratio	5000:1
	Brightness	300cd/m2
	Response time	5ms
	Lifespan (hours)	70,000
Audio	Built-in stereo speakers	3W x2
AV Inputs	Video	HDMI, VGA
	Audio	Audio Socket (3.5mm)
Power	Power Consumption (W)	17
	Power Input	AC110~240V (50Hz~60Hz)
Mechanical	Unit Size (WxHxD mm)	380x1070x57
	Package Size (WxHxD mm)	435x885x181
	VESA Holes (mm)	200x200
	Net Weight (kg)	16.6 (with bracket) 7.4 (without bracket)
	Gross Weight (kg)	20 (with bracket) 12 (without bracket)
Environmental	Operating Temperature	0 °C to 50 °C
	Storage Temperature	-30°C to 60°C
	Operating Humidity	10% to 80%
	Storage Humidity	5% to 95%
Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
	Media Resolution	1920x1080/1080x1920
	Internal Memory	6GB
	CPU	Quad-Core Cortex-A17@1.8GHz
	GPU	Mali-T764 MP4 @600MHz
	RAM	2GB DDR3
	ROM	8GB NAND
	USB	USB2.0 HOST (x2)
	LAN	10/100M Ethernet (Network Version Only)
	Wi-Fi	802.11b/g/n/ac (Network Version Only)
	OS	Android 7.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Dispenser	Capacity (ml)	1000 (each dose 0.8-1)
	Sensing Distance (cm)	5
	Solution Type	Liquid or Gel
Accessories	Included	Drip Tray, Scheduling Software, Remote Control, Key, User Manual
	Optional	Floor Stand, Network Version, Touch Screen Version
Standards	Certification	CE, FCC & ROHS
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

*Hand sanitizing liquid or gel not included



